TÜRKİYE ODALAR VE BORSALAR BİRLİĞİ

Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA www.tobb.org.tr - tobb@hs01.kep.tr

Sayı : E-34221550-720-12854 **Tarih**: 09.10.2025
Konu : Maputo Belediyesi İhaleleri İçin Ürün Tedariği Talebi

TÜM ODA VE BORSALARA
(Genel Sekreterlik)

İlgi : Ticaret Bakanlığı'nın 08.10.2025 tarihli ve E-68460249-041.99-00114388163 sayılı yazısı.

İlgide kayıtlı yazıda, 16-17 Ekim 2025 tarihlerinde İstanbul'da düzenlenecek olan V. Türkiye-Afrika İş ve Ekonomi Forumu (TABEF) kapsamında Mozambik heyetinde yer alacak yerel firmalardan biri olan "Nabonda, Consultoria e Serviços" unvanlı şirketin, Maputo Belediyesi'nin ihaleleri için teklif vermeyi planladığı ve bu doğrultuda inşaat ve üretim makineleri, inşaat malzemeleri ve muhtelif taşıtlar alanında alım taleplerinin bulunduğu belirtilmiştir.

İlgili firmanın ürün taleplerine ilişkin listeler ile irtibat kişisi bilgileri ekte yer almakta olup, konunun ilgili üyelerinize duyurulması ve konuya ilgi duyan firmaların detaylı bilgi almak üzere Maputo Ticaret Müşavirliğimize (maputo@ticaret.gov.tr) yönlendirilmesi hususunda gereğini rica ederim.

Saygılarımla,

e-imza
Mustafa SARAÇÖZ
Genel Sekreter

EK:
1- İlgili Kişinin İletişim Bilgileri (1 sayfa)
2- İnşaat Malzemeleri (2 sayfa)
3- İnşaat ve Üretim Makineleri (5 sayfa)
4- Muhtelif Taşıtlar (3 sayfa)

Bu belge, 5070 Sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile İmzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Firma adı: Nabonda, Consultoria e Serviços

İlgili kişi: Ms. Basilia da Conceicão Felisberto Machatine

Tel: +258 84 321 53 10

E-mail: comercial@triangulo.co.mz

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 1 (Inert)

Description	Specifications	Units	As for.	Value
Sand	Granulometry [0.15–4.75 mm]; Clay theor ≤ 2%; [SECTION 1083, SECTION 201]	m3	400	
British 3/4"	Granulometry [9.5–19 mm]; Crushing strength ≤ 29% [SANS 1083, SANS 201]	m3	150	
Cement	CEM II 32.5N [EN 197-1]	And	1200	
Pave	Zig Zag, 80mm, 35Mpa, natural color, abrasion wear [TMH 9]	m2	1000	
Lancel	Fig 3 or equivalent;≥25 MPA [sabs 927]	ME	1500	
Fine sand	Granulometry [0.05–1.18 mm]; Theor em clay 2%; [SECTION 1083, SECTION 201]	m3	300	
Clay	Solos G7 ou superior; CBR (at 93%)≥ 15% [COLTO]	m3	2000	
Rachão	Gramulometry (200-320 mm) SATCC 2502(a)(i)	m3	300	
Boulder/Pebbles 500kg	Granulometry (330-1200mm); Resistance to abrasion and corrosion Saline, COTO	Ton	500	
Tout Venant	Coarse aggregate with extensive particle size, G3, PI<6, Granulometry (0.00-37.5 mm)(COLTO)	m3	200	
Total				

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 2 (Asphalt)

Amount	Designation of the asset	Technical Specifications	
1200 Ton	Bituminous Concrete	Marshall Stability (kN)	3,5-12,5
		Marshall deformation (mm)	2-4
		Voids in the mixture (%)	3-6
		Stability/deformation (KN/mm)	2-3,5
		Filler/bitumen ratio	1,0-1,5
		Granulometry (mm) [SATCC Table 4202/3]	00-9.5
		10% FACT [TMH1 B2] (kN)	180
10 And	Bituminous Emulsion	Anionic emulsion SS60; Minimum 12 degrees Engler at 20°C [SANS 4001-BT3]	

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 1

Amount	Designation of the asset	Technical specifications (minimum) of the asset
01	Bulldozer	Deforestation and leveling; Engine power: ≥ 180 HP; Blade: Straight or semi-U, with hydraulic control; Operational weight: ≥ 18 tons; Track system with wide shoes. Cabin: Closed, air-conditioned (A/C), with protection ROPS/FOPS Minimum warranty: 1 year

Lote 2

Amount	Designation of the asset	Technical specifications (minimum) of the asset
01	Milling machine	Milling width: ≥ 1000 mm; Adjustable cutting depth: ≥ 30 cm; Automatic leveling control system; Material conveyor: Articulated front conveyor; High traction wheels or tracks; Engine power: ≥ 300 HP; Air-conditioned cabin with dust protection.

Lote 3

Amount	Designation of the asset	Technical specifications (minimum) of the asset
01	Compactor Roller (Smooth Drum)	Type: Self-propelled; Operational weight: ≥ 10 ton; Drum width: ≥ 2.0 meters; Vibration: Yes, with double frequency and amplitude; Motor: Diesel, ≥ 100 HP; Cabin: Open or closed, with ROPS/FOPS protection.

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 4

Amount	Designation of the asset	Technical specifications (minimum) of the asset
01	Asphalt Paver	Adjustable paving width: 2.5 to 6 meters; Layer thickness: Adjustable ≥ 300 mm; Feeding system: By belt/conveyor belt + distributor screw; Motor: Diesel, ≥ 150 HP; High traction tracks or wheels; Table heating system: Gas or electric; Automatic leveling and tilt control.

Lote 5

Amount	Designation of the asset	Technical specifications (minimum) of the asset
02	Road Marker Cold	Ink tank capacity: ≥ 100 L; Type: Self-propelled or towable; Spray system: Pneumatically controlled gun; Number of pistols: Minimum 2; Double and single lines; Marking with reflectivity; Engine: Gasoline or diesel.

Lote 6

Amount	Designation of the asset	Technical specifications (minimum) of the asset
02	Concrete mixer	Drum capacity: 500 liters; Type: Towable with hitch; Engine: Gasoline (25 HP); Tilt system: Hydraulic; Reinforced steel structure, with wheels pneumatics.

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 7

Amount	Designation of the asset	Technical specifications (minimum) of the asset
02	Mini on - Skid loader	Power: 60 HP; Operational weight: 2 to 3 tons; Bucket capacity: ≥ 500 liters; Auxiliary hydraulic system for accessories, Traction tires or tracks; Closed cabin with ROPS/FOPS protection; Optional accessories: Pallet fork, breaker hammer, mini milling machine, broom

Lote 8

Amount	Designation of the asset	Technical specifications (minimum) of the asset
01	12 Ton Lowbed Trailer	Load capacity: 12 tons; Machine loading Hitch type: Pin; Reinforced carbon steel chassis; Brakes: Pneumatic; Floor: Metallic; Load tires with reinforced suspension, Lighting and signaling system.

Lote 9

Amount	Designation of the asset	Technical specifications (minimum) of the asset
02	Portable emulsion sprayer (by drum)	Spraying >18 L/min (adjustable); Spray Width 500-1000 mm; Hose length 5 m; Nozzle Type Stainless steel, incl self-cleaning; Rotation speed 1500 rpm; Gear Pump Maximum Flow 310 L/min; Motor ≥ 5 HP.

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 10

Amount	Designation of the asset	Technical specifications (minimum) of the asset
03	Jumping	Operational weight ≥ 65 kg Operational coverage ≥ 250m2/h Impact force 2 13 KN

Lote 11

Amount	Designation of the asset	Technical specifications (minimum) of the asset
02	Autobetoneiras 3,5m3	Drum capacity ≥ 3500lit Lid for emergency discharge; 4-wheel drive; Capacity per load min 600 liters; production hourly ≥ 18m3; Electronic scale; High pressure water pump; 2 extra gutters included; Maximum external turning radius 4m; Cabin with ROPS-FOPS, rear view camera and AC; Mixing and discharge speed independent of engine speed; Electronic drum probe (optional); Discharge on all four sides of the vehicle.

Lote 12

Amount	Designation of the asset	Technical specifications (minimum) of the asset
02	Skid loader/ Bobcat	Power: ≥ 60 HP Skid loader/ Bobcat Operating weight: 2 to 3 tons Bucket capacity: ≥ 500 liters Auxiliary hydraulic system for attachments Traction tires or tracks Enclosed cabin with ROPS/FOPS protection Optional accessories: Pallet fork, breaker hammer, backhoe, broom and milling machine.

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 13

Amount	Designation of the asset	Technical specifications (minimum) of the asset
01	Vibratory tandem roller - asphalt	Type: Self-propelled, tandem Operational weight: ≥ 2.70 tons Drum width: ≥ 1.1 meters Vibration: Yes, with double frequency and amplitude Motor: Diesel, ≥ 30 HP Cabin: Open or closed, with protection ROPS/FOPS

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 1

Amount of	Designation of the asset	Technical specifications of the asset
03	Pick-Up Cabine Simples (4x4)	• Engine: Diesel, minimum 2.2L, turbo intercooler • Power: Minimum 120 HP • Traction: 4x4 • Transmission: Manual, 5 or 6 speeds • Payload capacity: ≥ 1000 kg • Power steering • Air conditioning • Electric windows • Radio with USB/Bluetooth • Mixed-use tires (on/off road) • Spare wheels (minimum 1) • Color: White (preferred) • Warranty: minimum 3 years or 100,000 km • Tool kit and warning triangle included
02	Pick-Up Cabine Dupla (4x4)	• Engine: Diesel, minimum 2.2L, turbo intercooler • Power: Minimum 120 HP • Traction: 4x4 • Transmission: Manual, 5 or 6 speeds • Payload capacity: ≥ 750 kg • Power steering • Air conditioning • Electric windows (front and rear) • ABS braking system • Front airbags (driver and passenger minimum) • Basic entertainment system (USB/Bluetooth) • Fabric or synthetic leather seats (easy to clean) • Mixed-use tires • Spare wheel • Color: White (preferred) • Warranty: minimum 3 years or 100,000 km • Tool kit, hydraulic jack and emergency accessories

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

Lote 2

Amount of	Designation of the asset	Technical specifications of the asset
01	Tricycle	Purpose: Internal logistical support or light transport of materials. Minimum specifications: • Type: Gasoline powered • Load capacity: ≥ 300 kg • Number of passengers: 1 to 2 • Cargo compartment: Closed • Brakes: Disc • Headlights and direction indicators
03	Motorbikes	Type: Utility motorcycle, new, zero kilometer • Engine: 110cc to 160cc • Fuel: Gasoline • Starting system: Electric • Transmission: Manual (minimum 4 speeds) • Brakes: Front disc, rear drum (minimum) • Tank capacity: ≥ 8 liters Maximum speed: ≥ 90 km/h • Average consumption: ≥ 35 km/1 • Tires: 17" or compatible with road use • Panel: Digital

Lote 3

Amount of	Designation of the asset	Technical specifications of the asset
		8x4 dump truck or equivalent - Volumetric capacity of the cargo box: Minimum 28 m³ - Payload capacity: ≥ 15,000 kg Engine: Diesel, minimum power of 350 HP - Curved box, bottom and sides with a minimum of 5mm Hydraulic support cylinder and PTO

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.

05	20 m³ Garbage Compactor Trucks	- Hydraulic device lock Sewage tank: Side suspended Rubber Seal Type Transmission: Manual or automatic Tilting system: Rear hydraulic reinforced- Cabin: Closed, with air conditioning Power steering Tires: Reinforced radials for heavy loads Fuel tank: ≥ 400 liters Equipped with spare wheel, triangle, fire extinguisher, and kit of tools Complete documentation for circulation within the national territory Cabin with bed
05	20 m³ Dump Trucks	6x4 or larger dump truck Volumetric capacity of the cargo box: Minimum 20 m³ Payload capacity: ≥ 15,000 kg Engine: Diesel, minimum power of 350 HP Transmission: Manual or automatic Tilting system: Rear hydraulic Cabin: Closed, with air conditioning Power steering Tires: Radials, suitable for operations mixed (urban and rural) - Fuel tank: ≥ 300 liters - Equipped with spare wheel, triangle, extinguisher, and kit of tools - Complete documentation for circulation within the national territory

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.
Evrak sorgulaması https://odaborsaebys.tobb.org.tr/tso-sanliurfa-envision/Validate_Doc.aspx?eD=BS9ERCD8B&eS=7943 adresinden yapılabilir.